Flevised 05/05

CORRES. CONTROL INCOMING LTR NO.

RECEIVED

7005 MAY 26 A 9: 1STATE OF COLORADO

00284R	1FQ5		COLUMNIZO A 4 121	AILUF	COLOKADO
DUE DATE		Bill Owens, Governor -Douglas H. Benevento, Executive	ORACSFONDENCE		OF COV
ACTION		Dedicated to protecting and improving the health and environment of the people of Colorado			
		4300 Cherry Creek Dr. S. Denver, Colorado 80246-1530	Laboratory and Radiation Services E 8100 Lowry Blvd.	• •	
DIST. L	LTR ENC	Phone (303) 692-2000 TDD Line (303) 691-7700	Denver, Colorado 80230-6928 (303) 692-3090		C-11-D
BOGNAR, E.S.	 	Located in Glendale, Colorado	, , , , , , , , , , , , , , , , , , , ,		Colorado Department of Public Health
BROOKS, L.	Σ	_http://www.cdphe.state.co.us			and Environment
CARPENTER, M. CIUCCI, J.A.	- X	-			
CROCKETT, G. A.	X	-			•
DECK, C. A. DEGENHART, K. R.	- X 	May 19, 2005			
DEL VECCHIO, D.					
FERRERA, D. W.	$X \perp$	Mr. Joe Legare			
GIACOMINI, J. J. GILPIN, H.		Director, Project Manag	pement Division		
LINDSAY, D. C.	X		ergy, Rocky Flats Project O	ffice	•
LONG, J. W. NESTA, S.	\overline{v}	10808 Highway 93, Uni		11100	•
SHELTON, D. C.	Ž .	Golden, CO 80403-820			
TUOR, N. R.	v -	- Golden, CO 60403-0200	O .		•
WARD, D.	$\hat{\chi}$	- -DF: Doconnaissance I	aval Characterization De	mant (DI CD) for To	ailer 707E – Concurrence
WIEMELT, K. ZAHM, C.	X	- Re: Reconnaissance L	ever Characterization Re	port (RUCK) for 11	aller 707E - Concurrence
ZARIM, U.		- -Dear Mr. Legare:			
Parsons D	X	Dear Mr. Legare.			•
Freihotha	\mathbf{z}	- -The Calendo Donortmo	ont of Dublic Health and To		. 3.6 / 1.0
7		-1 he Colorado Departine	ent of Public Health and En	T707E Desiries 0.1	is Materials and Waste
		Management Division n	Mari 10, 2005 Paradam at	1 /U/E; Revision 0 da	ated May 3, 2005. We received
		-a copy or your letter on	Way 19, 2005. Based on the	ne information contain	ned in the RLCR we are hereby
		concuming with the dete	ermination that T707E is a	Type I Facility.	
		- :TC h ame, assaulta-	41.:	4	
		If you have any question	ns regarding this correspond	dence please contact i	me at (303) 692-3367 or David
		-Kruchek at (303) 692-3:	328.		
		0' 1 .			
		Sincerely,			
		· At 1	210		וווו
			7	•	MAY 2 6 2005
•		flue of	my		MAY 2 6 2005
COR. CONTROL	X	Steven H. Gunderson			
ADMIN. RECORD	<u> </u>	RFCA Project Coordina	ator		
·		•			
Reviewed for Addre		cc: Gary Morgan, D		Cameron Freiboth,	KH
Corres, Control R	REP /	Mark Augilar, E		Dave Shelton, KH	
5/2/11/05 O	€	Sam Garcia, EP.		Steve Nesta, KH	
Date /	Ву	Duane Parsons,	KH	Administrative Rec	ords - Mountain View
Ref. Ltr. #		•			
			·		
DOE ORDER #					admin record
5/100 /					

STATE OF COLORADO

Bill Owens, Governor Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Denver, Colorado 80246-1530 Phone (303) 692-2000 TDD Line (303) 691-7700 Located in Glendale, Colorado

http://www.cdphe.state.co.us

Laboratory and Radiation Services Division 8100 Lowry Blvd. Denver, Colorado 80230-6928

(303) 692-3090



May 19, 2005

Mr. Joe Legare Director, Project Management Division U.S. Department of Energy, Rocky Flats Project Office 10808 Highway 93, Unit A Golden, CO 80403-8200

RE: Reconnaissance Level Characterization Report (RLCR) for Trailer 707E - Concurrence

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR for T707E; Revision 0 dated May 3, 2005. We received a copy of your letter on May 19, 2005. Based on the information contained in the RLCR we are hereby concurring with the determination that T707E is a Type 1 Facility.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson

RFCA Project Coordinator

cc: Gary Morgan, DOE

Mark Augilar, EPA Sam Garcia, EPA

Duane Parsons, KH

Cameron Freiboth, KH

Dave Shelton, KH

Steve Nesta, KH-

Administrative Records—Mountain View

DECEIVED MAY 2 4 2005

admin record